

SAUNGYU

PROFESSIONAL
AUDIO MANUFACTURER



10⁺ years





ABOUT US



SH-2001



- **Output Power:** 50W RMS
- **Speaker Unit:**
Woofer --- 3" / 6Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Game
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA



SPECIFICATION





■ Channel	2.0	■ Output Power	50W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	120mm*136mm*215mm (L*W*H)		

40HQ=3200PCS

SH-2000



- **Output Power:** 50W RMS
- **Speaker Unit:**
Woofer --- 3" / 6Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Game
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA



SPECIFICATION




■ Channel	2.0	■ Output Power	50W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	120mm*136mm*215mm (L*W*H)		

40HQ=3200PCS

SH-2003



- **Output Power:** 50W RMS
- **Speaker Unit:**
Woofer --- 3" / 6Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Game
- **Fast connection:** Bluetooth 5.4, Optical, USB/DAC, RCA, ARC



SPECIFICATION





■ Channel	2.0	■ Output Power	50W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	142mm*140mm*230mm (L*W*H)		

40HQ=2350PCS

SH-2009



- **Output Power:** 50W RMS
- **Speaker Unit:**
Woofer --- 3" / 6Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Game
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA



SPECIFICATION



■ Channel	2.0	■ Output Power	50W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	125mm*136mm*210mm (L*W*H)		

40HQ=3200PCS

SH-2022



- Output Power: 50W RMS
- Speaker Unit:
Woofer --- 3" / 6Ω *2
Tweeter --- 1.25" / 8Ω *2
- Button control
- Volume/Bass/Treble adjustable
- DSP technology: **Movie/Music/Game**
- Fast connection: **Bluetooth 5.4**,
Optical, **USB/DAC**, RCA



SPECIFICATION





■ Channel	2.0	■ Output Power	50W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	120mm*136mm*195mm (L*W*H)		

40HQ=3300PCS

SH-2029



- Output Power: 50W RMS
- Speaker Unit:
Woofer --- 3" / 6Ω *2
Tweeter --- 1.25" / 8Ω *2
- Button control
- Volume/Bass/Treble adjustable
- DSP technology: Movie/Music/Game
- Fast connection: Bluetooth 5.4,
Optical, USB/DAC, RCA



SPECIFICATION





■ Channel	2.0	■ Output Power	50W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	125mm*136mm*225mm (L*W*H)		

40HQ=3100PCS

SH-2028



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	40-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	






■ Output Power	80W RMS
■ S/R	≥85dB
■ Power	21V
■ Material	MDF
	150mm*165mm*256mm (L*W*H)

40HQ=1800PCS

SH-2027



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, **USB/DAC**, RCA, **ARC**



SPECIFICATION





■ Channel	2.0	■ Output Power	80W RMS
■ Frequency	40-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	150mm*165mm*256mm (L*W*H)		

40HQ=1800PCS

SH-2004



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION





■ Channel	2.0	■ Output Power	80W RMS
■ Frequency	40-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	150mm*165mm*256mm (L*W*H)		

40HQ=1800PCS

SH-2018



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, **USB/DAC**, RCA, **ARC**



SPECIFICATION





■ Channel	2.0	■ Output Power	80W RMS
■ Frequency	40-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	150mm*165mm*256mm (L*W*H)		

40HQ=1800PCS

SH-2005



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION





■ Channel	2.0	■ Output Power	80W RMS
■ Frequency	40-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	170mm*200mm*260mm (L*W*H)		

40HQ=1500PCS

SH-2002



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	40-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	80W RMS
■ S/R	≥85dB
■ Power	21V
■ Material	MDF
	150mm*165mm*256mm (L*W*H)

40HQ=1800PCS

SH-2012



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	40-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	80W RMS
■ S/R	≥85dB
■ Power	19V-21V
■ Material	MDF
	150mm*165mm*256mm (L*W*H)

40HQ=1800PCS

SH-2011



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION





■ Channel	2.0	■ Output Power	80W RMS
■ Frequency	40-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	150mm*165mm*275mm (L*W*H)		

40HQ=1750PCS

SH-2023



- **Output Power:** 80W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialugue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION


■ Channel	2.0	■ Output Power	80W RMS
■ Frequency	40-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	150mm*165mm*256mm (L*W*H)		

40HQ=1800PCS

SH-2010



- **Output Power:** 60W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1.25" / 4Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4, USB/DAC, RCA



SPECIFICATION





■ Channel	2.0	■ Output Power	60W RMS
■ Frequency	45-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	19V-21V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	150mm*165mm*235mm (L*W*H)		

40HQ=1800PCS

SH-2006



- **Output Power:** 100W RMS
- **Speaker Unit:**
Woofer --- 5.25" / 4Ω *2
Tweeter --- 3.5" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	100W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	190mm*218mm*310mm (L*W*H)

40HQ=880PCS

SH-2019



- **Output Power:** 100W RMS
- **Speaker Unit:**
Woofer --- 5.25" / 4Ω *2
Tweeter --- 3.5" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	100W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	190mm*218mm*310mm (L*W*H)

40HQ=880PCS

SH-2020



- **Output Power:** 100W RMS
- **Speaker Unit:**
Woofer --- 5.25" / 4Ω *2
Tweeter --- 3.5" / 8Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4, Optical, USB/DAC, RCA, ARC



SPECIFICATION




■ Channel	2.0	■ Output Power	100W RMS
■ Frequency	35-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	24V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	190mm*227mm*310mm (L*W*H)		

40HQ=880PCS

SH-2013



- **Output Power:** 120W RMS
- **Speaker Unit:**
Woofer --- 6.5" / 4Ω *2
Tweeter --- 3.5" / 6Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, **USB/DAC**, RCA, **ARC**



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	120W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	230mm*265mm*375mm (L*W*H)

40HQ=580PCS

SH-2014



- **Output Power:** 120W RMS
- **Speaker Unit:**
Woofer --- 6.5" / 4Ω *2
Tweeter --- 3.5" / 6Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4, Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	120W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	220mm*265mm*345mm (L*W*H)

40HQ=580PCS

SH-2007



- **Output Power:** 120W RMS
- **Speaker Unit:**
Woofer --- 6.5" / 4Ω *2
Tweeter --- 3.5" / 6Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	120W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	230mm*265mm*375mm (L*W*H)

40HQ=580PCS

SH-2015



- **Output Power:** 120W RMS
- **Speaker Unit:**
Woofer --- 6.5" / 4Ω *2
Tweeter --- 3.5" / 6Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	





■ Output Power	120W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	220mm*262mm*345mm (L*W*H)

40HQ=580PCS

SH-2008



- **Output Power:** 120W RMS
- **Speaker Unit:**
Woofer --- 6.5" / 4Ω *2
Tweeter --- 3.5" / 6Ω *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA, ARC



SPECIFICATION

■ Channel	2.0
■ Frequency	35-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	




■ Output Power	120W RMS
■ S/R	≥85dB
■ Power	24V
■ Material	MDF
	220mm*265mm*345mm (L*W*H)

40HQ=580PCS

SH-2024



- Output Power: 120W RMS
- Speaker Unit:
Woofer --- 6.5" / 4Ω *2
Tweeter --- 3.5" / 6Ω *2
- Button control
- Volume/Bass/Treble adjustable
- DSP technology: **Movie/Music/Dialogue**
- Fast connection: **Bluetooth 5.4**,
Optical, **USB/DAC**, RCA, **ARC**



SPECIFICATION




■ Channel	2.0	■ Output Power	120W RMS
■ Frequency	35-20KHZ	■ S/R	≥85dB
■ Bluetooth	5.4	■ Power	24V
■ Distortion	≤1%	■ Material	MDF
■ Product Size	234mm*259mm*383mm (L*W*H)		

40HQ=580PCS

SH-2016



- Output Power: 60W RMS
- Speaker Unit:
Woofer --- 5.25"/ 4Ω *1
Tweeter --- 1.25"/ 8Ω *2
- Button control
- Volume/Bass/Treble adjustable
- DSP technology: **Movie/Music/Dialogue**
- Fast connection: **Bluetooth 5.4**,
Optical, **USB/DAC**, RCA



SPECIFICATION

■ Channel	2.0
■ Frequency	45-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	






■ Output Power	80W RMS
■ S/R	≥85dB
■ Power	19V-21V
■ Material	MDF
	338mm*221mm*200mm (L*W*H)

40HQ=1680PCS

SH-2017



- Output Power: 60W RMS
- Speaker Unit:
Woofer --- 4" / 4Ω *1
Tweeter --- 1.25" / 8Ω *2
- Button control
- Volume/Bass/Treble adjustable
- DSP technology: **Movie/Music/Dialogue**
- Fast connection: **Bluetooth 5.4**,
Optical, **USB/DAC**, RCA



SPECIFICATION

■ Channel	2.0
■ Frequency	45-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	




■ Output Power	60W RMS
■ S/R	≥85dB
■ Power	19V-21V
■ Material	MDF
	335mm*155mm*166mm (L*W*H)

40HQ=2130PCS

SH-2025



- Output Power: 60W RMS
- Speaker Unit:
 - Woofer --- 4" / 4Ω *1
 - Range --- 2.25" *1
 - Tweeter --- 1.25" *1
- Button control
- Volume/Bass/Treble adjustable
- DSP technology: Movie/Music/Dialogue
- Fast connection: Bluetooth 5.4, OPT/USB/DAC, RCA



SPECIFICATION

■ Channel	2.0
■ Frequency	45-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	

■ Output Power	60W RMS
■ S/R	≥85dB
■ Power	19V-21V
■ Material	MDF
	335mm*155mm*166mm (L*W*H)

40HQ=3000PCS





Triple Frequency Bookshelf Speaker

SH-2026

SH-2026



- **Output Power:** 100W RMS
- **Speaker Unit:**
Woofer --- 4" / 4Ω *2
Tweeter --- 1" / 8Ω *2
Range --- 3" *2
- **Button control**
- **Volume/Bass/Treble adjustable**
- **DSP technology:** Movie/Music/Dialogue
- **Fast connection:** Bluetooth 5.4,
Optical, USB/DAC, RCA



SPECIFICATION

■ Channel	2.0
■ Frequency	40-20KHZ
■ Bluetooth	5.4
■ Distortion	≤1%
■ Product Size	

■ Output Power	80W RMS
■ S/R	≥85dB
■ Power	21V
■ Material	MDF
	160mm*170mm*320mm (L*W*H)

40HQ=1300PCS

SH-100

SH-150






■ **Output Power:**

100W RMS (SH-100)
150W RMS (SH-150)

■ **Speaker Unit:**

Woofer --- 8" / 10"



SPECIFICATION

■ **Frequency** 30-300HZ

■ **Distortion** ≤1%

■ **Material** MDF

■ **Product Size**
SH-80: 280mm*260mm*295mm (L*W*H)

■ **Output Power** 100/150W RMS

■ **S/R** ≥85dB

■ **Power** 100-240V

SH-100: 300mm*330mm*310mm (L*W*H)
SH-150: 335mm*370mm*375mm (L*W*H)

SH-100 40HQ=1000PCS
SH-150 40HQ=635PCS

2.0Ch

Passive Speaker

SOUND HERO



SH-2021



A1



A2

A3

SPECIFICATION

Stereo Max.output power: 300+300W(@40)
Stereo Speaker impedance: 4~8Ω
3.5mm AUX Maximum Output level: 3.6V
Frequency response: 20 Hz~20KHz(+1dB) for Speaker output
Frequency response: 20 Hz~20KHz(+0.5dB) for AUX output
SN ratio: 109dB (COA/OPT/USB input)
S/N ratio: 93dB (BT input)
S/N ratio: 108dB (RCA/TRS input)
THD+N: 0.006% (COA/OPT/USB/RCA/TRS input)
THD+N: 0.02% (BT input)
Input sensitivity: 0dBFS (OPT/COA/USB/BT)
Input sensitivity: 2VRMS (RCA)
Input sensitivity: 4VRMS (TRS)

40HQ=880PCS

SAUNGYU